

# EEZ PRODUCTS

## SAW CUT #683 *Semi-Synthetic Sawing Coolant*

*For More Info, Visit..*

[EEZProducts.com](http://EEZProducts.com)

*Foamy Cutting Fluid  
Tuf Tap 2-15-T  
Insted-A-Led*

*Micro Max  
Cool Aid  
Ultrafinish*

*Saftee Cut  
Thread Cut Cutting Oils*

*White Kut Soluble Oils  
Clean Wheel Coolants  
Cost Cut Synthetic Coolants*

*Saw Cut #683  
Delta #900 Coolants  
XP Rust Preventives*

*Saver Chain & Cable Fluid  
Way Oil  
Hydraulic Oil*

*Spindle Oil  
Compressor Oil  
Grease*

*Synthetic Gear Oil  
Synthetic Hydraulic Oil*


**Made In U.S.A.**

**Mullen Circle Brand, Inc.  
EEZ Products Division**

3514 West Touhy Ave  
Skokie, IL 60076  
847/676-1880

Fax: 847/676-3748

[Solutions@MullenOil.com](mailto:Solutions@MullenOil.com)



### ***Outstanding Performance On Aluminum Low Irritation Risk***

**Saw Cut #683** is a semi-synthetic coolant designed for sawing ferrous and nonferrous metals, but may also be used for a variety of other medium duty machining operations. **Saw Cut #683** can be applied by mist, spray or flood systems. Suggested treat rate is 5% in water.

**Saw Cut #683** combines the outstanding natural lubricity of oil with chemical extreme pressure additives to produce a coolant with truly unique lubricity. When combined with the cooling capacity of water, blade life will be extended and part finish improved.

**Saw Cut #683** is very easy to use. The mild ph and the natural skin softening ability of oil keeps irritation risk to an absolute minimum. Excellent rust inhibition and high detergency keeps everything clean.

*More ==>*

**...Providing Solutions To Industry Since 1912...**

# Mullen Circle Brand, Inc.

## EEZ PRODUCTS DIVISION

3514 W. Touhy Avenue  
Skokie, IL 60076

Phone 847/676-1880

Fax 847/676-3748

[Solutions@MullenOil.com](mailto:Solutions@MullenOil.com)

### EEZ PRODUCTS SAW CUT #683

<b>Application</b>	Sawing; Medium Machining
<b>Color, Concentrate</b>	Brown
<b>Color, Dilution</b>	Translucent; Clear
<b>Odor</b>	Sweet
<b>Flash Point F</b>	None
<b>Pounds/Gallon</b>	8.4
<b>Multi-Metal Safe</b>	Yes
<b>Aluminum Stain</b>	None
<b>Ph, 5%</b>	9.1
<b>Sulfur</b>	—
<b>Chlorine</b>	—
<b>Fat</b>	—

*...Providing Solutions To Industry Since 1912...*

**Cutting Fluids \* Industrial Lubricants \* Greases \* Cleaners**

The Information Given Herein Is Believed To Be Reliable, But No Guarantee Is Made Nor Liability Assumed.